



## Channel Cladding

# Channel Cladding



## Create strongly-defined shadow lines

Channel cladding provides an immaculate design feature for discerning tastes. This minimalistic profile is ideal for cladding the exterior of architecturally-designed buildings. Square, flat faces and deep, narrow channels produce an effect that's simply stunning. Create dynamic shadow lines in perfect alignment with ease.

## Features and benefits



### Sustainable Timbers

Sustainably-harvested timber PEFC™ Certified



### Seamless finish

Tongue and groove profile can be secret nailed



### Availability of samples

Samples of all sizes and profiles are available prior to purchase



### Ideal for large areas

Interchange options offer unlimited combinations – ideal for large areas

## Channel cladding is ideal for

- Feature walls
- Commercial projects
- Residential projects
- Facades
- Public spaces

## INSTALLATION

For secret nail fixing and in-depth installation instructions, visit [modinex.com.au](http://modinex.com.au)




 Download the latest CAD files from the product section of [modinex.com.au](http://modinex.com.au)


## CHANNEL CLADDING

(FEATURES 5MM CHANNEL WIDTH WHEN JOINED)

PR-CLS5S-WRC-86X12



PR-CLS5S-WRC-133X12



PR-CLS5E-WRC-70X18



PR-CLS5E-WRC-120X18



PR-CLS5E-WRC-120 X 18 KBS  
(KNOTTY GRADE/SAWN FACE)



PR-CLS5E-WRC-170X18



PR-CLSS5C-WRC-71X26



PR-CLSS5C-WRC-120X26



PR-CLSS5C-WRC-170X26




PR-CLSS5C-WRC-220X26




(FEATURES 19MM CHANNEL WIDTH WHEN JOINED)

PR-CLCG19C-WRC-115X26



PR-CLCG19B-WRC-115X38



## MATERIALS



Western Red  
Cedar



Hemlock

# CHANNEL CLADDING SIZES + SPECS

Product Code	Cover mm	Thickness mm	Max Spans mm
<b>Channel</b>			
PR-CLS5S-WRC-86X12	86	12	600
PR-CLS5S-WRC-133X12	133	12	600
PR-CLS5E-WRC-70X18	70	18	600
PR-CLS5E-WRC-120X18	120	18	600
PR-CLS5E-WRC-120 X 18 KBS (KNOTTY)	120	18	600
PR-CLS5E-WRC-170X18	170	18	600
PR-CLSS5C-WRC-71X26	71	26	600
PR-CLSS5C-WRC-120X26	120	26	600
PR-CLSS5C-WRC-170X26	170	26	600
PR-CLSS5C-WRC-220X26	220	26	600
<b>Channel with Center Groove</b>			
PR-CLCG19C-WRC-115X26	115	26	600
PR-CLCG19B-WRC-115X38	115	38	600





Further product information and downloads for Channel are available at [modinex.com.au](https://modinex.com.au)



Installation Instructions



Product Care



CAD files



Technical Information



Like what you see?

Get in touch and order your free sample today!

Phone 1800 156 455 Email [hello@modinex.com.au](mailto:hello@modinex.com.au)

For further product information and downloads Visit [modinex.com.au](https://modinex.com.au)

**modinex**GROUP  
LEADING EDGE ARCHITECTURAL