



Building better choice



NOW AVAILABLE WITH

BAL29
FIRE RATING

Euro Seleкта Clad

Euro Seleкта Clad

EC 155 x 18 DARK CEDAR

HPL cladding at its finest

Urbanline Euro Seleкта Clad is a unique, pre-finished HPL [high pressure laminate] cladding façade with a beautiful timber-grain-embossed surface. Designed for stability and longevity with style, Euro Seleкта Clad is eco-friendly, maintenance free and incredibly easy to install.

The easy-to-use and lightweight tongue and groove profile makes installation a breeze, with machined screw slots for added convenience. Euro Seleкта Clad also offers versatility, with seven natural wood colours and the attractive Coast White colour in stock for immediate supply, as well as a wide range of specialty colours that can be pre-ordered as required. This fabulous HPL can be installed both vertically and horizontally, as well as diagonally.

Euro Seleкта Clad has a large coverage width of 155mm. It can also cater to individual requirements, with

a range of smart, corrosion-resistant aluminium trims and accessories on offer.

Euro Seleкта Clad is made using a patented manufacturing process, which combines the natural properties of wood, with the resistance of high-quality resins. During this process, the coating is permanently melted to a highly-compressed material core and then sealed. The practical benefits of this process are clear. To prove the advantages, this product has been subjected to extreme endurance tests, including swell tests and paint flaking tests. In special

climate chambers, the material is subjected to a range of environmental conditions and temperature fluctuations between -30° and +70° Celsius. The product responded brilliantly to these tests, outlasting wind and weather for 30 years.


Euro Seleкта Clad is also a great choice for the environmentally conscious. The timber component of this product is sourced from PEFC™ Certified sustainably managed forests.

Now Euro Seleкта cladding is approved to be installed on any building in a bushfire prone area rated up to BAL29*.



NOW AVAILABLE WITH
BAL29
FIRE RATING


EC 155 x 18 DARK CEDAR




EC 155 x 18 SILVER OAK



Profiles



EC 155 x 18



EC 155 x 18 HIDDEN FIXING DETAIL



CAD files

Download the latest CAD files from the product section of modinex.com.au


**NEW
COLOUR**

EC 155 x 18 AFRICAN EBONY

Euro Seleкта Clad

Profile Code	Profile Width (mm)	Cover (mm)	Thickness (mm)	Profile Length (mm)	Max Spans (mm)	Certification	Linear metre per m ²	Weight per m ²
EC 155 x 18	170	155	18	5400	625	PEFC™ Certification Group Fire Rating Acoustic Rating	6.45	9.7kg

Colours*



* Other colours available on request

EC 155 x 18 DARK CEDAR

Clever cladding

Euro Seleкта Clad looks and feels like real timber and is virtually maintenance free – the perfect solution for:

- External feature facade cladding for domestic and commercial applications
- Coastal/beach-front areas
- Difficult access areas
- Low-maintenance substitute for timber feature cladding
- Internal feature walls
- Feature facade cladding for multi-story apartment buildings, where maintenance is difficult
- Feature cladding for soffits
- Gable ends



Acoustics



Fire Rating



EC 155 x 18 DARK CEDAR



EC 155 x 18 DARK CEDAR

EC 155 x 18 DARK CEDAR



There are so many great reasons to choose Euro Selekt Clad



CodeMark certified

Independently verified to meet compliance requirements of the National Construction Code [Building Code of Australia].



Sizing

5.4m length and 155mm cover / 6.45 L/M per m²



Water resistant

Finely-chopped wood, with uniform, homogeneous structure and high-quality resins for strong bonding, guarantee the highly-compressed and dimensionally-stable material structure.



PEFC™ certified

Timber components sourced from PEFC™ Certified sustainably managed forests.



Hidden fixing system

Simple tongue and groove fixing system with machined screw slots.



Non leaching

The only timber-look cladding that cannot leach as there are no tannins impregnated into the profile.



High R_w acoustic rating

Laboratory acoustic testing results available



Bushfire resistance

[AS/NZ 3837].

Now Euro Selekt cladding is approved to be installed on any building in a bushfire prone area rated up to BAL29*.

*Subject to the Building Code of Australia.



Installer friendly

Pre-finished profiles and simple tongue and groove fixing system makes for quick and easy installation.



Ideal timber substitute

Perfect for use in high-exposure or difficult-to-access areas.



Rot and pest resistant

Guaranteed not to rot, split, warp or check. Manufacturer's highly resistant to damage caused by termites and fungal decay.




Limited Manufacturer's Warranty

Guaranteed quality and peace of mind. Manufacturer's warranty of 10 years to board structure, and 5 year warranty on surface finish.




Accessories available


Range of smart, corrosion-resistant aluminium trims and accessories available. Ask our helpful staff for more information.




ECHSP
Starting Profile P / Horizontal Starter Profile




ECACE/I
External / Internal Corner Profile



ECVSP
Layering Profile / Vertical Starter Profile



ECA40
Angle 40 x 20
* Cover angle available in 40 x 20 & 20 x 20



ECET
Edge Trim Profile

Anodised Aluminium Trims and Accessories


Product Code	Product Description	Length (mm)	Product Code	Product Description	Length (mm)
ECHSP	Starting Profile P / Horizontal Starter Profile	5500	ECACE/I	External / Internal Corner Profile	5500
ECVSP	Layering / Vertical Starter Profile	5500	ECJCP	Joint Cover Profile	5500
ECZP	Z Profile	5500	ECFP	Connection Profile F	5500
ECA20	Angle 20 x 20	5500	ECA40	Angle 40 x 20	5500
ECCC	Cover Cap 46 x 46	N/A	ECCS	6G x 32 Stainless Screws	N/A




EC 155 x 18 SILVER OAK




EC 155 x 18 MERANTI




ECJCP
Joint Cover Profile




ECZP
Z Profile



ECFP
Connection Profile F



ECCC
Cover Cap



EC 155 x 18 DARK CEDAR

Further product information and downloads for Euro Selekt Clad are available at modinex.com.au



Installation instructions



Product care



CAD files



Technical information



Like what you see?

Get in touch and order your free sample today!

Phone 1800 156 455 **Email** hello@modinex.com.au

For further product information and downloads **Visit** modinex.com.au



Building better choice