

Shiplap



Shiplap



Perfect lines as far as the eye can see

Our Shiplap boards are profiled to produce an overlap, which allows for a continuous cladding look and uninterrupted, clean lines. They can be used in both vertical and horizontal applications.

Features and benefits



Sustainable Timbers

Sustainably-harvested timber PEFC $^{\text{TM}}$ Certified



Weather Protection

Overlap profile has machined drip grooves for superior weather protection



Insulation

Excellent insulation and acoustic



Diverse Look

Can be painted or stained. Available in Dressed face and Bandsawn face

Shiplap is ideal for

- Commercial projects
- Wrap around style
- Residential projects

- Public spaces
- Alfresco / soffits

INSTALLATION






For secret nail fixing and in-depth installation instructions, visit modinex.com.au

PROFILES AVAILABLE

ADD "STK" FOR KNOTTY GRADE

SHIPLAP



SHIPLAP REVERSIBLE/VEE-JOINT



SHIPLAP REVERSIBLE/VEE-JOINT WITH CENTRE VEE



SHIPLAP SIZES + SPECS

Product Code	Cover mm	Thickness mm	Max Spans mm	Channel width when joined (mm)
*Shiplap (Add STK for Knotty grade)				
PR-SLI-WRC-82X9	82	9	450	12
PR-SLI-WRC-133X9	133	9	450	12
PR-SLS-WRC-82X12	82	12	600	12
PR-SLS-WRC-133X12	133	12	600	12
PR-SLM-WRC-82X15	82	15	600	12
PR-SLM-WRC-133X15	133	15	600	20

Product Code	Cover mm	Thickness mm	Max Spans mm	Channel width when joined (mm)
PR-SLE-WRC-82X18	82	18	600	12
PR-SLE-WRC-133X18	133	18	600	20
PR-SLE-WRC-181X18	181	19	600	20
Shiplap Reversible / Vee-Joint -Knotty Bandswa	an			
NS REVE 130 X 18 STK BS	130	18	600	
PR-REVE-WRC-127X18-RAW-STK-B	127	18	600	

Further product information and downloads for Shiplap are available at **modinex.com.au**



Installation Instructions




Product Care



CAD files



Technical Information



Like what you see?

Get in touch and order your free sample today!

